AM-124

April-2015

S.Y.B.C.A., Sem.-IV

CC-210 : CORE Java

| Time | : 3 | Hours | [Max. Marks : 70 | |
|-------|-------|--|------------------|--|
| Instr | uctio | n : Draw diagram wherever necessary. | | |
| 1. | (a) | Answer the following: (1) Explain Java Environment with diagram. (2) Explain in detail: Bitwise Operators in Java OR Answer the following: (1) List and explain the features of Java. (2) Explain in detail: JOptionPane class for GUI Input Answer the following: (1) Write a short note on main() method of Java. (2) Explain constructors in Java with example. OR Answer the following: (1) What is method overloading in Java? (2) Write a short note on static variables in Java. | 6 | |
| 2. | (a) | Answer the following: (1) List and explain with example any four methods of Character (2) Explain in detail: Arrays class. | er class. | |
| | (b) | Answer the following: (1) Explain in detail: StringBuffer class. (2) Can we pass array to methods? Explain with example. Answer the following: (1) Write a short note on switch statement in Java. (2) Write a short note on Integer class. OR | 6 | |
| 3. | (a) | Answer the following: (1) Write a short note an while loop in Java. (2) Can we convert a string to number? If yes, explain with ex Answer the following: (1) Explain Exception handling in detail. (2) Explain Abstract class with example. | ample. | |
| AM | -124 | OR 1 | P.T.O. | |

| | | Aı | swer the following: | |
|----|--|--------|--|----|
| | | (i) | Can we create our own Exception . If yos, explain with example. | |
| | | (2) | | |
| | (b) |) An | swer the following: | • |
| | | (1) | | |
| | | (2) | Explain the keyword 'extend' with example. | |
| | | | OR | |
| | | An | swer the following: | 7 |
| | | (1) | | |
| - | | (2) | | S |
| | | | statement. | |
| | (-) | A | | |
| 4. | (a) | | swer the following: | 8 |
| | | (1) | Explain life cycle of Applet. | |
| | | (2) | Explain the use of Runnable interface with example. | |
| | | Ans | OR | |
| | | (1) | ewer the following: Explain life cycle of Thread. | |
| | | (2) | Explain in detail : Access modifiers in Java. | |
| | (b) | 2 . | wer the following: | , |
| | () | (1) | Explain any three methods of Thread class. | 6 |
| | | (2) | Write a short note on Attributes of Applet tag. | |
| | | | OR . | |
| | | Ansv | wer the following: | |
| | | (1) | Wi te a short note on Built-in Java packages. | ** |
| | | (2) | What is the difference between applet and application? | |
| | D | | | |
| | | s dire | | 14 |
| | (1) | Progr | rams that are embedded in a Web page are called | |
| | (2) | The | comments are a special case of block comments. | |
| | | The | and a state of the | |
| | (4) | Unice | alent, regardless of a case. | |
| | (5) | The | ode value '\u00000' is also known as | |
| | (6) | The ir | package is by default included in the Java program. | |
| | (7) | A thre | nterface is used to implement the concept of Java. | |
| | | When | data cannot be changed after a class is sempiled the data in the data in the data. | |
| | 4 | f a cl | data cannot be changed after a class is compiled, the data is constant. (T/F) ass is named Employee, the class constructor is named Employee | |
| | | Consti | ructor. (T /F) | |
| | The State of the S | | ethod parseInt() converts an String to an integer. (T / F) | |
| | (11) 1 | Vrapr | ocr classes are defined under the java.lang package (T / F) | |
| | (12) | ou m | iust place only a single statement within a try block. (T/F) | |
| | (13) / | base | class can also be called a super class. (T / F) | |
| | (14) 7 | he dr | aw() method is used to draw an applet on the screen. (T / F) | |
| | | | and the artist the applied on the selecti. (171) | |