

AB-114

April-2019

B.Sc., Sem.-II

CC-103 : Mathematics
(Diff. Eqⁿs. And Co-ordinate Geometry)

Time : 2:30 Hours]

[Max. Marks : 70]

સૂચના : (1) આ પ્રશ્નપત્રમાં કુલ ચાર પ્રશ્નો છે.

(2) જમણી બાજુના અંક જે-તે પ્રશ્ન/પેટા-પ્રશ્નના ગુણ દર્શાવે છે.

1. (A) (1) બનોલીનું વિકલ સમીકરણ લખો અને તેના ઉકેલની રીત સમજાવો. 7

(2) સમીકરણ ઉકેલો :

(i) $(\sin y - \cos x) dx + (x \cos y + \sin y) dy = 0$

(ii) $\frac{dy}{dx} - xy = x^3 y^2$

અથવા

(1) લાગ્રાંજનું વિકલ સમીકરણ ઉકેલવાની રીત સમજાવો તથા સમીકરણ $p^2 - 6px + 3y = 0$ નો ઉકેલ મેળવો.

(2) સમીકરણ ઉકેલો :

(i) $p^2 - (x + 2y)p + y(x + y) = 0$

(ii) $x + y = \left(\frac{1+p}{1-p} \right)^2$

(B) ટૂકમાં જવાબ આપો : (ગમ્ભીર તે ચાર)

(1) વિકલ સમીકરણ $\left[1 + \left(\frac{dy}{dx} \right)^3 \right]^{\frac{1}{2}} = \frac{d^2 y}{dx^2}$ ની કક્ષા લખો.

(2) ઉદ્ગમબિંદુમાંથી પસ્યાર થતી તમામ રેખાઓનું વિકલ સમીકરણ મેળવો.

(3) પ્રથમ કક્ષાના સમપરિમાણીય વિકલ સમીકરણનું ઉદાહરણ આપો.

(4) કલેરોટનું વિકલ સમીકરણ લખો.

(5) વિકલ સમીકરણ $M(x, y) dx + N(x, y) dy = 0$ યથાર્થ હોવા માટેની આવશ્યક અને પર્યાપ્ત શરત લખો.(6) વિકલ સમીકરણ $(y - xp)(p + 1) = p$ નો સામાન્ય ઉકેલ લખો.

7

7

4

2. (A) (1) સાબિત કરો : $\frac{1}{f(D^2)} \cos ax = \frac{\cos ax}{f(-a^2)}$; જ્યાં $f(-a^2) \neq 0$. $\frac{1}{D^2+4} \cos 3x$ નું

સાદુરૂપ આપો.

7

(2) સમીકરણ ઉકેલો :

7

(i) $(D^4 - 6D^3 + 11D^2 - 6D)y = 0$

(ii) $(D^2 + 3D - 10)y = e^{2x}$

અથવા

(1) સાબિત કરો : $\frac{1}{f(D)} e^{ax} V = e^{ax} \frac{1}{f(D+a)} V$; જ્યાં $f(D+a) \neq 0$ અને V એ ચલ x નું વિધેય છે.

(2) સમીકરણ ઉકેલો :

(i) $(D+1)^2 y = x^2 e^x$

(ii) $(x^2 D^2 - 2xD + 2)y = x^3$

(B) ટૂંકમાં જવાબ આપો : (ગમે તે ચાર)

4

(1) સાદુરૂપ આપો : $\frac{1}{D-1} x^2$.

(2) વિકલ સમીકરણ $(D^2 - 5D + 6)y = 0$ નો સામાન્ય ઉકેલ મેળવો.

(3) સાદુરૂપ આપો : $\frac{1}{D-2} e^{2x}$

(4) $\frac{1}{D^2+a^2} \sin ax$ નું સૂત્ર લખો.

(5) જેનો સામાન્ય ઉકેલ $y = c_1 e^{ax} + c_2 e^{bx}$ હોય, તેવું વિકલ સમીકરણ મેળવો.

(6) વિકલ સમીકરણ $f(D)y = F(X)$ નું વિશિષ્ટ સંકલ મેળવવાનું સૂત્ર લખો.

3. (A) (1) समतल $lx + my + nz = p$, $p \neq 0$ गोलक $x^2 + y^2 + z^2 = a^2$ ने स्पर्शों ते माटेनी शरत
तथा स्पर्शबिंदुना याम भेणवो. 7

(2) साबित करो के गोलको $x^2 + y^2 + z^2 + 4x + 4y + 4z - 13 = 0$ अने
 $x^2 + y^2 + z^2 - 20x - 36y - 14z + 73 = 0$ परस्पर बहारथी स्पर्शे छे. तथा स्पर्शबिंदु
(2/5, 2, -1/5) छे. 7

अथवा

(1) R^3 ना बे लिन गोलको लंबस्थेदी होवानी आवश्यक अने पर्याप्त शरत भेणवो.
बतावो के गोलको $x^2 + y^2 + z^2 - 2x + 4y + 3 = 0$ अने
 $x^2 + y^2 + z^2 + 4x + 6y + 2z + 5 = 0$ लंबस्थेदी गोलको छे.

(2) समतल $2x - y + 2z = 5$ ने समांतर, गोलक $x^2 + y^2 + z^2 - 4x + 2y - 4 = 0$ ना
स्पर्शतलो तथा स्पर्शबिंदुओ भेणवो.

(B) ढूँकमां जवाब आपो : (गमे ते त्रिष्ठा) 3

- (1) सभीकरण $x^2 + 2y^2 + 3z^2 - 4x + 5y + 6z = 0$ शा माटे गोलक न दर्शावे ?
- (2) गोलकना प्रयत्न सभीकरण लभो.
- (3) r_1 अने r_2 त्रिज्या तेमज C_1 अने C_2 उन्नावाणा बे गोलको परस्पर अंदरथी स्पर्शों ते
माटेनी शरत कर्छ छे ?
- (4) उपवलयजनुं व्यापक सभीकरण लभो.
- (5) एकपृष्ठ अतिवलयजनुं व्यापक सभीकरण लभो.

4. (A) (1) प्रतिलिपि सेक्टोरमां शांकवनुं ध्रुवीय सभीकरण $\frac{1}{r} = 1 + e \cos \theta$ भेणवो. 7

(2) R^3 मां बिंदु A ना गोलीय याम $(2, \pi/4, \pi/6)$ होय, तो तेना कार्तेजीय याम अने
नणाकारीय याम भेणवो. 7

अथवा

- (1) R^3 मां (α, β, γ) बिंदुमांधी पसार थती अने गोलक $x^2 + y^2 + z^2 = a^2$ ने स्पर्शती
सर्जकरेखावाणा परिस्परी शंकुनुं सभीकरण भेणवो.
- (2) Z-अक्षने समांतर सर्जकरेखावाणा नणाकारनो आधारवक $x^2 + y^2 + z^2 = 8$,
 $x + 2y + 2z = 6$ होय, तो ते नणाकारनुं सभीकरण भेणवो.

(B) ટૂંકમાં જવાબ આપો : (ગેરે તે નષ્ટા)

- (1) R^2 માં $(1, -\sqrt{3})$ કાર્ટોઝીય યામવાળા બિંદુના ધૂવીય યામ શોધો.
- (2) ધૂવીય સમીકરણ $r \sin \theta = 12 - 3r$ ક્યો વક્ત દર્શાવે છે ?
- (3) રેખા $r \cos(\theta - \pi/4) = 2\sqrt{2}$ નું કાર્ટોઝીય સમીકરણ મેળવો.
- (4) વ્યાખ્યા આપો : સમશંકુ
- (5) Z-અક્ષને સમાંતર અને (α, β, γ) બિંદુમાંથી પસાર થતાં અક્ષવાળા અને r-નિયાવાળા સમનજ્ઞાકારનું સમીકરણ લખો.

Seat No. : _____

AB-114

April-2019

B.Sc., Sem.-II

CC-103 : Mathematics (Diff. Eqⁿs. And Co-ordinate Geometry)

Time : 2:30 Hours]

[Max. Marks : 70

Instructions : (1) There are four questions.
(2) Figure to the right indicate full marks of the question/ sub-question.

1. (A) (1) Write the Bernoulli's differential equation and explain the method of its solution. 7

(2) Solve the equations : 7

$$(i) (\sin y - \cos x) dx + (x \cos y + \sin y) dy = 0$$

$$(ii) \frac{dy}{dx} - xy = x^3 y^2$$

OR

(1) Explain the method to solve the Lagrange's differential equation. Also solve $p^2 - 6px + 3y = 0$.

(2) Solve the equations:

$$(i) p^2 - (x + 2y)p + y(x + y) = 0$$

$$(ii) x + y = \left(\frac{1+p}{1-p} \right)^2$$

(B) Give the answer in short: (Any four) 4

(1) Write the order of the differential equation: $\left[1 + \left(\frac{dy}{dx} \right)^3 \right]^{\frac{1}{2}} = \frac{d^2y}{dx^2}$.

(2) Find the differential equation of all lines passing through origin.

(3) Give an example of the homogeneous differential equation of first order.

(4) Write the Clairaut's differential equation.

(5) State the necessary and sufficient condition for the differential equation $M(x, y) dx + N(x, y) dy = 0$ to be exact.

(6) Write a general solution of a differential equation $(y - xp)(p+1) = p$.

2. (A) (1) Prove that : $\frac{1}{f(D^2)} \cos ax = \frac{\cos ax}{f(-a^2)}$; where $f(-a^2) \neq 0$. Also simplify

$$\frac{1}{D^2+4} \cos 3x.$$

(2) Solve the equations :

(i) $(D^4 - 6D^3 + 11D^2 - 6D)y = 0$

(ii) $(D^2 + 3D - 10)y = e^{2x}$

OR

(1) Prove that : $\frac{1}{f(D)} e^{ax} V = e^{ax} \frac{1}{f(D+a)} V$; Where $f(D+a) \neq 0$ and V is function of variable x .

(2) Solve the equations :

(i) $(D+1)^2 y = x^2 e^x$

(ii) $(x^2 D^2 - 2xD + 2)y = x^3$

(B) Give the answer in short : (Any four)

(1) Simplify : $\frac{1}{D-1} x^2$

(2) Obtain the solution of differential equation $(D^2 - 5D + 6)y = 0$.

(3) Simplify : $\frac{1}{D-2} e^{2x}$

(4) Write the formula for $\frac{1}{D^2+a^2} \sin ax$.

(5) Find a differential equation whose general solution is $y = c_1 e^{ax} + c_2 e^{bx}$.

(6) Write the formula to obtain particular integral of a differential equation $f(D)y = F(x)$.

3. (A) (1) Find the condition that the plane $lx + my + nz = p$, $p \neq 0$ touches the sphere $x^2 + y^2 + z^2 = a^2$. Also obtain the co-ordinates of the plane of contact. 7

- (2) Prove that the spheres $x^2 + y^2 + z^2 + 4x + 4y + 4z - 13 = 0$ and $x^2 + y^2 + z^2 - 20x - 36y - 14z + 73 = 0$ touch each other externally.

Also the point of contact is $(2/5, 2, -1/5)$.

OR

- (1) Obtain the necessary and sufficient condition for two spheres in \mathbb{R}^3 are orthogonal. Prove that the spheres $x^2 + y^2 + z^2 - 2x + 4y + 3 = 0$ and $x^2 + y^2 + z^2 + 4x + 6y + 2z + 5 = 0$ are orthogonal spheres.

- (2) Find the equations of tangent planes to the sphere.

$x^2 + y^2 + z^2 - 4x + 2y - 4 = 0$ parallel to the plane $2x - y + 2z = 5$.

- (B) Give the answer in short: (Any three) 3

- (1) Why the equation $x^2 + 2y^2 + 3z^2 - 4x + 5y + 6z = 0$ does not generate a sphere?
- (2) Write a parametric equations of sphere.
- (3) If r_1 and r_2 are radii of two spheres with centres C_1 and C_2 respectively then under which condition two spheres intersect internally?
- (4) Write a general equation of ellipsoid.
- (5) Write a general equation of hyperboloid of one sheet.

4. (A) (1) In usual notation obtain the polar equation of a conic $\frac{1}{r} = 1 + e \cos \theta$. 7

- (2) If the Spherical co-ordinates of point A are $(2, \pi/4, \pi/6)$ in \mathbb{R}^3 , find its Cartesian and cylindrical co-ordinates. 7

OR

- (1) Obtain the equation of an enveloping cone, having generator line touching sphere $x^2 + y^2 + z^2 = a^2$ and passing through a point (α, β, γ) in \mathbb{R}^3 .
- (2) Find the equation of the cylinder whose generator line parallel to Z-axis and the guiding curve is $x^2 + y^2 + z^2 = 8$, $x + 2y + 2z = 6$.

(B) Give the answer in short: (Any three)

- (1) Find out the polar co-ordinates of the point having cartesian co-ordinates $(1, -\sqrt{3})$ in \mathbb{R}^2 .
- (2) Which curve is represented by the polar equation $r \sin \theta = 12 - 3r$.
- (3) Find Cartesian equation of a line $r \cos(\theta - \pi/4) = 2\sqrt{2}$.
- (4) Define : A right circular cone.
- (5) Write an equation of a right circular cylinder having axis parallel to Z-axis and passing through point (α, β, γ) and radius is r .