

Seat No. : \_\_\_\_\_

**MU-110**

March-2019

**B.Sc., Sem.-IV**

**CC-204 : Mathematics  
(Advanced Calculus-II)**

**Time : 2:30 Hours]**

**[Max. Marks : 70]**

- સૂચના :** (1) બધા જ પ્રશ્નો ફરજિયાત છે.  
(2) ઉત્તરવહીમાં પ્રશ્નપત્રમાં દર્શાવ્યા પ્રમાણે પ્રશ્નનો અંક લખવો.  
(3) જમણી તરફનાં એક જે તે પ્રશ્નનો ગુણભાર દર્શાવ્યિ છે.

1. (A) (i) ધ્રુવીય યામ પદ્ધતિમાં ઇયાંતરીત કરીનો શોધો :  $\int_0^{1/\sqrt{2-x^2}} \int_x^{\sqrt{2-x^2}} \frac{x}{\sqrt{x^2+y^2}} dy dx.$  7

(ii) સંકલનનો કમ બદલો :  $\int_0^4 \int_{\sqrt{y}}^2 e^{x^3} dy dx.$  7

અથવા

(i) શોધો :  $\iint_R xy \, dx \, dy,$  જ્યાં  $R = \{(x, y) | x \geq 0, y \leq 4, x^2 \leq y\}.$  7

(ii) યામ સમતલો અને સમતલ  $x + \frac{y}{2} + \frac{z}{3} = 1$  દ્વારા ઘેરાયેલ ઘનનું ઘનક્ષળ શોધો. 7

(B) ટૂંકમાં જવાબ આપો : (કોઈપણ બે)

(i) શોધો :  $\iint_{0,0}^{1,x} x \, dy \, dx$

(ii)  $\iint_R f(x, y) dx dy$  ની સંકલ સીમા શોધો, જ્યાં R એ રેખાઓ  $y = 0, y = x, y = 2$  દ્વારા

ઘેરાયેલા વિસ્તાર છે.

(iii) શોધો:  $\frac{\partial(x, y)}{\partial(r, \theta)}$ , જ્યાં  $x = r \cos\theta, y = r \sin\theta$ .

2. (A) (i) પ્રચલિત સેક્ટો મુજબ, સાબિત કરો કે  $\sqrt{n} \sqrt{n + \frac{1}{2}} = \frac{\sqrt{\pi}}{2^{2n-1}} \sqrt{2n}$ .

7

(ii) જો  $\vec{r} = x\vec{i} + y\vec{j} + z\vec{k}$  અને  $|\vec{r}| = r$  હોય તો સાબિત કરો કે  $\nabla^2 f(r) = f''(r) + \frac{2}{r} f'(r)$  જ્યાં  $f(r)$  એ r નું વિધેય છે.

7

અથવા

(i) બીટા - ગામા વિધેયોનો ઉપયોગ કરીને નીચેનાની કિંમત મેળવો:

7

(i)  $\int_0^\infty 4\sqrt{x} e^{-\sqrt{x}} dx$

(ii)  $\int_0^\infty \frac{x^2}{(1+x^4)^3} dx$

(ii) જો  $\phi$  એ અદીશ વિધેય અને  $\vec{f} = f_1\vec{i} + f_2\vec{j} + f_3\vec{k}$  એ  $D \subset \mathbb{R}^3$  ઉપર વિકલનીય સંદિશ વિધેય છે, તો સાબિત કરો કે  $\operatorname{div}(\phi \vec{f}) = \phi \operatorname{div} \vec{f} + \vec{f} \cdot \operatorname{grad}(\phi)$ .

7

(B) ટૂંકમાં જવાબ આપો : (કોઈપણ બે)

4

(i)  $\beta(m+1, n) + \beta(m, n+1) = \beta(m, n)$  સાબિત કરો.

(ii) ઓઈલરનું સૂત્ર લખો અને  $\left[ \frac{1}{4} \sqrt{\frac{3}{4}} \right]$  મેળવો.

(iii) બિંદુ (1, 1, 1) પર  $\operatorname{Curl}(x^2\vec{i} + xyz\vec{j} - zx\vec{k})$  શોધો.

3. (A) (i) સ્ટોક્સનો પ્રમેય લખો અને સાબિત કરો.

7

(ii) શોધો :  $\int_C (x^2 + y^2) dx + (x + y) dy$ , જ્યાં C એ શિરોબિંદુ ( $\pm 1, \pm 1$ ) થી ધેરાયેલા ચોરસની સીમા છે.

6

અથવા

(i) ગ્રીનનું પ્રમેય લખો અને સાબિત કરો.

7

(ii) શોધો :  $\iint_S \bar{f} \cdot n dS$ , જ્યાં  $\bar{f} = (x^3 - yz, -2x^2y, z)$  અને S એ  $x = 0, y = 0, z = 0,$   $x = a, y = a, z = a$  થી ધેરાયેલા ચોરસ પેટીનું પૃષ્ઠ છે.

6

(B) ટૂંકમાં જવાબ આપો : (કોઈપણ બે)

4

(i) રેખા  $y = x^2$  ઉપર  $(0, 0)$  થી  $(1, 1)$  સુધી  $\int x dx + y dy$  મેળવો.

(ii) ગાઉસના પ્રમેયનું વિધાન લખો.

(iii) પૃષ્ઠ  $x^2 + y^2 + z^2 = 1$  નો અભિલંબ એકમ સંદર્ભ મેળવો.

4. (A) (i) સાબિત કરો કે સુરેખ આંશિક વિકલ સમીકરણ  $Pp + Qq = R$  નો વ્યાપક ઉકેલ  $F(u, v) = 0$  છે. જ્યાં F એ સ્વૈચ્છિક વિધેય છે,  $u(x, y, z) = c_1$  અને  $v(x, y, z) = c_2$  એ સમીકરણ  $\frac{dx}{P} = \frac{dy}{Q} = \frac{dz}{R}$  ના સુરેખ સ્વાયત ઉકેલ છે.

7

(ii) સમીકરણ  $z = F(xy) + G\left(\frac{x}{y}\right)$  માંથી વિધેય F અને G નો લોપ કરીને આંશિક વિકલ સમીકરણ મેળવો.

6

અથવા

(i) વ્યાપક ઉકેલ મેળવો :  $(y + z)p + (z + x)q = (x + y).$

7

(ii) સમીકરણ  $x^2 + (y - a)^2 + z^2 = b^2$  માંથી a, b નો લોપ કરો અને  $xp + yq = z$  નું સંપૂર્ણ સંકલ મેળવો.

6

(B) ટૂકમાં જવાબ આપો : (કોઈપણ બે)

4

(i) આંશિક વિકલ સમીકરણ  $x^3 Z_{xy} - px + qy = 0$ ના કક્ષા અને પરીમાણ શોધો.

(ii) ઉકેલ લખો :  $dx = dy = dz$

(iii) જે  $x^2 + x + y - z = 0$  તો  $p = \underline{\hspace{2cm}}$  અને  $q = \underline{\hspace{2cm}}$ .

**@geniusguruji**

Seat No. : \_\_\_\_\_

# MU-110

March-2019

B.Sc., Sem.-IV

## CC-204 : Mathematics (Advanced Calculus-II)

Time : 2:30 Hours]

[Max. Marks : 70]

- Instructions :**
- (1) All questions are compulsory.
  - (2) Write the question number in your answer sheet as shown in the question paper.
  - (3) Figures to the right indicate marks of the question.

1. (A) (i) Evaluate  $\int_0^1 \int_x^{1-\sqrt{2-x^2}} \frac{x}{\sqrt{x^2 + y^2}} dy dx$  by changing into polar co-ordinates. 7

(ii) Evaluate  $\int_0^4 \int_{\sqrt{y}}^2 e^{x^3} dy dx$  by changing the order of integration. 7

**OR**

(i) Evaluate  $\iint_R xy dxdy$ , where  $R = \{(x, y) | x \geq 0, y \leq 4, x^2 \leq y\}$ . 7

(ii) Find the volume of solid bounded by the co-ordinate planes and the plane  $x + \frac{y}{2} + \frac{z}{3} = 1$ . 7

(B) Give the answer in brief : (any two) 4

(i) Evaluate :  $\int_0^1 \int_0^x x dy dx$

(ii) Find the limit of  $\iint_R f(x, y) dx dy$ , where  $R$  is bounded by  $y = 0$ ,  $y = x$ ,

$$y = 2.$$

(iii) Evaluate  $\frac{\partial(x,y)}{\partial(r,\theta)}$ . when  $x = r \cos\theta$ ,  $y = r \sin\theta$ .

2. (A) (i) In usual notations, prove that  $\sqrt{n} \left[ n + \frac{1}{2} \right] = \frac{\sqrt{\pi}}{2^{2n-1}} \sqrt{2n}$ . 7

(ii) If  $\vec{r} = x\vec{i} + y\vec{j} + z\vec{k}$  and  $r = |\vec{r}|$  then prove that  $\nabla^2 f(r) = f''(r) + \frac{2}{r} f'(r)$ ,

where  $f(r)$  is a function of  $r$ . 7

OR

(i) Evaluate the following using beta-gamma functions : 7

$$(i) \int_0^\infty \sqrt[4]{x} e^{-\sqrt{x}} dx$$

$$(ii) \int_0^\infty \frac{x^2}{(1+x^4)^3} dx$$

(ii) If  $\phi$  is a scalar function and  $\vec{f} = f_1\vec{i} + f_2\vec{j} + f_3\vec{k}$  is a differentiable vector point function on  $D \subset \mathbb{R}^3$ , then prove that  $\operatorname{div}(\phi \vec{f}) = \phi \operatorname{div} \vec{f} + \vec{f} \cdot \operatorname{grad}(\phi)$ . 7

(B) Give the answer in brief : (any two) 4

(i) Show that  $\beta(m+1, n) + \beta(m, n+1) = \beta(m, n)$ .

(ii) Write the Euler's Formula and simplify  $\left[ \frac{1}{4}, \frac{3}{4} \right]$ .

(iii) Find  $\operatorname{Curl}(x^2\vec{i} + xyz\vec{j} - zx\vec{k})$  at  $(1, 1, 1)$

3. (A) (i) State and prove the Stokes's theorem.

7

(ii) Evaluate  $\int_C (x^2 + y^2) dx + (x + y) dy$ , where C is the boundary of the square

having vertices  $(\pm 1, \pm 1)$ .

**OR**

(i) State and prove the Green's theorem.

7

(ii) Evaluate  $\iint_S \bar{f} \cdot n dS$ , where  $\bar{f} = (x^3 - yz, -2x^2y, z)$  and S is the surface of

the cube with faces  $x = 0, y = 0, z = 0, x = a, y = a, z = a$ .

6

(B) Give the answer in brief. (any two).

4

(i) Evaluate  $\int x dx + y dy$  over the line  $y = x^2$  from  $(0, 0)$  to  $(1, 1)$ .

(ii) Write the statement of the Gauss Theorem.

(iii) Find the unit normal vector of surface  $x^2 + y^2 + z^2 = 1$ .

4. (A) (i) Prove that the general solution of the linear partial differential equation

$Pp + Qq = R$  is  $F(u, v) = 0$ , where, F is an arbitrary function and  $u(x, y, z) = c_1$

and  $v(x, y, z) = c_2$  form a solution of the equations  $\frac{dx}{P} = \frac{dy}{Q} = \frac{dz}{R}$ .

7

(ii) Form a partial differential equation by eliminating the arbitrary function F

and G from the equation  $z = F(xy) + G\left(\frac{x}{y}\right)$ .

6

**OR**

(i) Obtain the general solution of  $(y + z)p + (z + x)q = (x + y)$ .

7

(ii) Eliminate a, b from the equation  $x^2 + (y - a)^2 + z^2 = b^2$  and obtain the general solution of  $xp + yq = z$ .

6

(B) Give the answer in brief. (Any **two**).

4

(i) Find order and degree of partial differential equation  $x^3Z_{xy} - px + qy = 0$ .

(ii) Solve  $dx = dy = dz$ .

(iii) If  $x^2 + x + y - z = 0$ , then  $p = \underline{\hspace{2cm}}$  and  $q = \underline{\hspace{2cm}}$ .

@geniusguruji